

Fortron Strong Fully Synthetic SAE 5W30 API SP-RC, SP, ILSAC GF-6A



Fortron Strong Fully Synthetic SAE 5W30 API SP-RC, ILSAC GF-6A

For Gasoline

Fortron Strong SAE 5W-30 API SP-RC, ILSAC GF-6A Fully Synthetic Gasoline Motor Oil are high performance that exceed the latest industry performance standards required in today, gasoline automobile engine, API SP-RC, ILSAC GF-6A Fortron synthetic motor oils keep engines cleaner and better protected those standard conventional mineral oils through a synthetic base oils and carefully matched performance additive system. Fortron synthetic motor oils actively maintaining overall engine cleanliness preventing the build up of harmful deposits, sludge and varnish, fighting wear at low and high temperatures.



SUMMARY OF BENEFITS

- Enhanced thermal and oxidation stability – reduced engine deposits, build up of harmful Sludge and deposit produced in hot zones within an engines
- Enhanced anti-wear properties – reduced wear which can lead to lower maintenance costs
- Effective wear and deposit control-longer engine life and reliable operation
- High viscosity index and shear stability
- Enhanced high and low temperature protection in severe driving

PERFORMANCE

- SP-RC, SP
- SN Plus-RC, SN Plus
- ILSAC GF-6A

Properties	UNIT	METHOD	5W-30
APPEARANCE	-	VISUAL	Bright & Clear
VISCOSITY 40° C	cSt	ASTM D445	64.53
VISCOSITY 100° C	cSt	ASTM D445	10.73
VISCOSITY INDEX	-	ASTM D2270	157
COLOR	-	ASTM D1500	L3.5
CCS @-35° C	cPs	ASTM D5293	5815
TOTAL BASE NUMBER	mgKOH/g	ASTM D2896	7.4

